--28. (Thrice Amended) A method of disclosing the present location of a vehicle, the method comprising the steps of:

performing in-vehicle processing of signals to obtain a fix of vehicle location; employing a paging request responder to receive a paging request; and,

in response to the paging request, employing a communications device separate from, and for operation independent of, the paging request responder to transmit the fix to a designated service center.

--32. (Thrice Amended) A method of determining the present location of a vehicle, the method comprising the steps of:

initiating a paging request for transmission to a paging request responder mounted in or on the vehicle; and,

in response to the paging request, activating a communications device separate from, and for operation independent of, the paging request responder and mounted in or on the vehicle to transmit a fix of vehicle location.

--33. (Thrice Amended) Apparatus for determining the present location of a vehicle. the apparatus comprising:

means for transmitting a paging request to a paging request responder mounted in or on the vehicle; and

means responsive to the paging request for activating a communications device

separate from, and for operation independent of, the paging request responder and mounted in



or on the vehicle to transmit a fix of a vehicle location.

--50. (New) A method of disclosing the present location of a vehicle, the method comprising the steps of:

performing in-vehicle processing of signals to obtain a fix of vehicle location; employing a noncellular paging request responder to receive a paging request; and, in response to the paging request, activating a cellular communications device to transmit the fix to a designated service center.

--51. (New) Apparatus for disclosing the present location of a vehicle, the apparatus comprising:

means for performing in-vehicle processing of signals to obtain a fix of vehicle location;

a noncellular paging request responder for receiving a paging request; and a cellular communications device responsive to the paging request for transmitting the fix to a designated service center.

--52. (New) A method of determining the present location of a vehicle, the method comprising the steps of:

initiating a paging request for transmission to a noncellular paging request responder mounted in or on the vehicle; and,

in response to the paging request, activating a cellular communications device

mounted in or on the vehicle to transmit a fix of vehicle location.

--53. (New) Apparatus for determining the present location of a vehicle, the apparatus comprising:

means for transmitting a paging request to a noncellular paging request responder mounted in or on the vehicle; and

means responsive to the paging request for activating a cellular communications device mounted in or on the vehicle to transmit a fix of vehicle location.

--54. (New) Apparatus for disclosing a present location, the apparatus comprising: means for processing signals to obtain a fix of location;

a paging request responder for receiving a paging request; and

a communications device separate from, and for operation independent of, the paging request responder and responsive to the paging request for transmitting the fix to a designated service center.

--55. (New) A method of determining a present location, the method comprising the steps of:

initiating a paging request for transmission to a paging request responder; and
in response to the paging request, activating a communications device separate from,
and for operation independent of, the paging request responder to transmit a fix of the
location.

e3 Cont --56. (New) Apparatus for disclosing a present location, the apparatus comprising:
 means for processing signals to obtain a fix of location;
 a noncellular paging request responder for receiving a paging request; and
 a cellular communications device responsive to the paging request for transmitting the
 fix to a designated service center.

3.

--57. (New) A method of determining a present location, the method comprising the steps of:

initiating a paging request for noncellular transmission to a paging request responder; and

in response to the paging request, activating a cellular communications device to transmit a fix of the location.

--58. (New) A method of disclosing the present location of a vehicle, the method comprising the steps of:

performing in-vehicle processing of signals to obtain a fix of vehicle location;

employing a paging request responder to receive a paging request; and,

in response to the paging request, employing a communications device for operation

independent of the paging request responder to transmit the fix to a designated service center.

--59. (New) Apparatus for disclosing the present location of a vehicle, the apparatus comprising: